Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	251	(709/304)".clss"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:38
L2	29	l1 and ((generat$3 or compil3 or creat$3) with (adapter$1 or stub$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:46
L3	8	l2 and (virtual adj1 machine$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:44
L4	0	l1 and (stub$1 same compil$3 same interpreter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:44
L5	5	l1 and (stub$1 same compil$3) and interpreter$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:44
L6	407	(709/330)".clss"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:43
L7	67	l6 and ((generat$3 or compil3 or creat$3) with (adapter$1 or stub$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:44
L8	20	l7 and (virtual adj1 machine$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:44
L9	0	l8 and (stub$1 same compil$3 same interpreter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:44

L10	3	I8 and (stub$1 same compil$3) and interpreter$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:44
L11	19	(I1 or I6) and((dynamic$4 or run$4) with (generat$3 or compil3 or creat$3) with (adapter$1 or stub$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:48
L12	3	I11 and compiler$1 and interpreter$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:48
S1	2263	(717/139 or 717/140 or 717/148 or 717/104 or 700/12 or 712/220)".clss"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 11:42
S2	89	S1 and ((generat$3 or provid$3 or creat$3) with (adapter$1 or stub$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:38
S3	55	S2 and (compil$5 with ($4code$1 or program$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 11:50
S4	35	S3 and (interpret$3 with ($4code$1 or program$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 11:50
S5	91	S1 and ((generat$3 or provid$3 or creat$3) with (adapt?r$1 or stub$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 11:50
S6	55	S5 and (compil$5 with ($4code$1 or program$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 11:50
S7	35	S6 and (interpret$3 with ($4code$1 or program$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 11:51
S8	11	("5675804").URPN.	USPAT	OR	OFF	2005/02/18 12:03

S9	3	("6151703" | "6247169" | "6282702").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 12:13
S11	2263	(717/139 or 717/140 or 717/148 or 717/104 or 700/12 or 712/220)".clss"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 14:01
S12	293	S11 and (state$1 near2 machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 14:01
S13	24	S12 and ((state$1 near2 machine) same (compil$6 with ($4code$1 or program$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 14:03
S14	9	("5539907" | "5675803" | "5911073" | "6088525" | "6164841" | "6189141" | "6223339" | "6314558" | "6481008").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 14:50
S16	4	S14 and (state$1 near2 machine)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 14:51
S17	4	S16 and (compil$5 or interpret$5)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 14:52
S18	30545	(generat$3 or provid$3 or creat$3) with (adapt?r$1 or stub$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 15:09
S19	944	S18 and (machine near2 state$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 15:46
S20	127	S19 and (compil$5 with ($4code$1 or program$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 15:11
S21	40	S20 and (map$4 with state$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 15:12

S22	5	("5553286" | "5659751" | "5822591" | "6074432" | "6202208").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/18 15:46
S25	1	("6381737").URPN.	USPAT	OR	OFF	2005/02/18 15:53
S26	36	S19 and ((map$4 or translat$3 or conver$4) with state$1 with ($4code$1))	USPAT	OR	OFF	2005/02/18 16:06
S27	2	("5966534").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 17:43
S28	35	(machine adj1 state$1) with (call$3 near3 (procedure$1 or function$1 or method$1 or code or routine$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/18 17:45
S30	5699	machine adj1 state$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 12:36
S31	187	S30 with (map$4 or $3relat$3 or associat$3) with (code or instruction$1 or statement$1 or operation$1 or method$1 or procedure$1 or routine$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 12:38
S32	54	S31 and ((compil$3 or translat$3 or convert$3) with code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/22 12:39
S33	1874	(717/139 or 717/140 or 717/148 or 717/104 or 700/12 or 712/220)".clss"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 12:56
S34	60	S33 and ((generat$3 or compil$5 or creat$3) with (adapter$1 or stub$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:55
S35	21	S34 and (virtual adj1 machine$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 12:57

S36	579	compil$5 with (adapter$1 or stub$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 12:59
S37	73	S36 with (dynamic$4 or runtime or run-time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:00
S38	7	S37 same ((virtual adj1 machine$1) or JvM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:48
S39	5	S36 and (execution adj1 stack$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:56
S40	14285	(generat$3 or compil$5 or creat$3) with (adapter$1 or stub$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:49
S42	2626	S40 and ((adapter$1 or stub$1) with (translat$3 or convert$3 or interpret$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:58
S43	9	S42 and (S40 same (virtual adj1 machine$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 13:59
S44	5	("5553286" | "5659751" | "5822591" | "6074432" | "6202208").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/14 14:06
S45	1	S44 and (stub$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/14 14:06
S46	348	(translat$3 or convert$3 or interpret$3) with (runtime or run-time or execution) with stack$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:42
S47	5	S46 same stub$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:45

S48	3	stub$1 with interpreter$1 with compiler$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:45
S49	2083	(generat$3 or compil$5 or creatl8$3) with (stub$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:49
S50	16	S49 same compiler$1 same interpreter$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:58
S51	337	stub$1 with stack$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 14:58
S52	16	S51 same (interpreter$1 or compiler$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 16:37